

REVISED VERSION

**(19) World Intellectual Property
Organization
International Bureau**



(43) International Publication Date
1 July 2004 (01.07.2004)

PCT

(10) International Publication Number
WO 2004/056079 A1

(51) International Patent Classification⁷: H04M 15/00,
H04L 12/14, 29/06

(21) International Application Number:
PCT/EP2002/014407

(22) International Filing Date:
16 December 2002 (16.12.2002)

(25) Filing Language: English

(26) Publication Language: English

(71) Applicant (for all designated States except US): TELEFONAKTIEBOLAGET LM ERICSSON (publ)
[SE/SE]: S-164 83 Stockholm (SE).

(72) Inventor; and

(75) **Inventor/Applicant (for US only): HALKOSAARI, Matti [FI/FI]; Murkionkatu 3 B 29, FIN-20740 Turku (FI).**

(74) Agents: LIND, Robert et al.; Marks & Clerk, 4220 Nash Court, Oxford Business Park South, Oxford, Oxfordshire OX4 2RU (GB).

(81) **Designated States (national):** AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,

CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE,
SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,
VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:


— with international search report

(88) Date of publication of the revised international search report: 28 April 2005

(15) Information about Correction:
see PCT Gazette No. 17/2005 of 28 April 2005, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: COST NEGOTIATION FOR COMMUNICATION SESSIONS



(57) Abstract: A method of negotiating the sharing of a cost associated with a communication service between a plurality of participants. The method comprises sending a cost sharing request from a terminal 1 used by a first of the participants to the terminal 12,13 used by the or each other participant. At the or each terminal 12,13 receiving said request, the request is processed using predefined cost sharing rules and/or user input relating to the request received. The initiating terminal 1 is notified of the result. Messages exchanged between the participating terminals are intercepted within the network(s) 2,14 supporting the service, and the participants charged in accordance with the negotiated cost sharing formula.

WO 2004/056079 A1

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 02/14407

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 H04M15/00 H04L12/14 H04L29/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04M H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, INSPEC, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|------------|---|-----------------------|
| X | WO 02/052832 A (MAYERHOFER ANDREAS ;KALKBRENNER ANDREAS (DE); STELZL RUDOLF (DE);) 4 July 2002 (2002-07-04) abstract page 1 - page 4, paragraph 2 page 5, paragraphs 4,5 page 6, paragraphs 2,3 ----- | 1-13 |
| X | WO 00/38403 A (ERICSSON TELEFON AB L M) 29 June 2000 (2000-06-29) abstract page 1, line 11 - line 14 page 2, line 29 - page 4, line 12 page 6, line 1 - page 9, line 9 page 11, line 15 - line 22 ----- -/- | 1-4 |

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

2 March 2004

Date of mailing of the international search report

09.03.04

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Kahl, M

| C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT | | |
|--|---|-----------------------|
| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
| A | US 6 047 051 A (YLAE-JAASKI ANTTI ET AL) 4 April 2000 (2000-04-04) abstract column 2, line 47 - line 52 column 5, line 1 - column 6, line 62 ----- | |
| A | WO 00/79756 A (ERICSSON TELEFON AB L M) 28 December 2000 (2000-12-28) page 2, line 1 - line 22 page 3, line 17 - line 19 page 27, line 5 - line 19 ----- | |

| Patent document cited in search report | | Publication date | Patent family member(s) | Publication date |
|---|---|---------------------|----------------------------|---------------------|
| WO 02052832 | A | 04-07-2002 | BR 0116442 A | 23-12-2003 |
| | | | WO 02052832 A2 | 04-07-2002 |
| | | | EP 1344389 A2 | 17-09-2003 |
| ----- | | | | |
| WO 0038403 | A | 29-06-2000 | AU 2132000 A | 12-07-2000 |
| | | | WO 0038403 A1 | 29-06-2000 |
| ----- | | | | |
| US 6047051 | A | 04-04-2000 | FI 964524 A | 12-05-1998 |
| | | | AU 730689 B2 | 15-03-2001 |
| | | | AU 4871297 A | 03-06-1998 |
| | | | BR 9713014 A | 25-01-2000 |
| | | | CA 2271779 A1 | 22-05-1998 |
| | | | EP 1012760 A1 | 28-06-2000 |
| | | | WO 9821676 A1 | 22-05-1998 |
| | | | NZ 335701 A | 27-10-2000 |
| | | | RU 2212057 C2 | 10-09-2003 |
| ----- | | | | |
| WO 0079756 | A | 28-12-2000 | US 6625141 B1 | 23-09-2003 |
| | | | AU 5862400 A | 09-01-2001 |
| | | | AU 5862500 A | 09-01-2001 |
| | | | CA 2375366 A1 | 28-12-2000 |
| | | | CA 2375997 A1 | 28-12-2000 |
| | | | CN 1357190 T | 03-07-2002 |
| | | | EP 1188281 A1 | 20-03-2002 |
| | | | EP 1188292 A2 | 20-03-2002 |
| | | | JP 2003502945 T | 21-01-2003 |
| | | | WO 0079741 A1 | 28-12-2000 |
| | | | WO 0079756 A2 | 28-12-2000 |
| | | | US 6687356 B1 | 03-02-2004 |
| ----- | | | | |

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
1 July 2004 (01.07.2004)

PCT

(10) International Publication Number
WO 2004/056079 A1

(51) International Patent Classification⁷: **H04M 15/00**,
H04L 12/14, 29/06

(21) International Application Number:
PCT/EP2002/014407

(22) International Filing Date:
16 December 2002 (16.12.2002)

(25) Filing Language: English

(26) Publication Language: English

(71) Applicant (for all designated States except US): TELE-
FONAKTIEBOLAGET LM ERICSSON (publ)
[SE/SE]; S-164 83 Stockholm (SE).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **HALKOSAARI**,
Matti [FI/FI]; Murkionkatu 3 B 29, FIN-20740 Turku (FI).


Published:

— with international search report

(74) Agents: **LIND, Robert** et al.; Marks & Clerk, 4220 Nash
Court, Oxford Business Park South, Oxford, Oxfordshire
OX4 2RU (GB).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: COST NEGOTIATION FOR COMMUNICATION SESSIONS



(57) Abstract: A method of negotiating the sharing of a cost associated with a communication service between a plurality of participants. The method comprises sending a cost sharing request from a terminal 1 used by a first of the participants to the terminal 12,13 used by the or each other participant. At the or each terminal 12,13 receiving said request, the request is processed using predefined cost sharing rules and/or user input relating to the request received. The initiating terminal 1 is notified of the result. Messages exchanged between the participating terminals are intercepted within the network(s) 2,14 supporting the service, and the participants charged in accordance with the negotiated cost sharing formula.

Cost Negotiation for Communication Sessions

Field of the Invention

- 5 The present invention relates to cost control negotiation for communication sessions including telecom and data communication sessions, and is applicable in particular, though not necessarily, to IP sessions which are setup using the Session Initiation Protocol (SIP).

10 Background to the Invention

- The arrival of new communication technologies such as third generation mobile technologies will allow existing services to be significantly enhanced and will also allow the introduction of new advanced service. Examples of new services are video
15 conferencing, multi-participant gaming, and instant messaging. Consumers will be expected to pay extra for these enhanced and new services, as compared to what they pay for the currently available services. However, the nature of many of the services will mean that new charging mechanisms will be needed if consumers are not to be dissuaded by the high costs.

20

- In the case of multi-participant services, some form of cost sharing may be appropriate. A simple mechanism for sharing the costs of a long distance telephone call between originating and terminating subscribers is described in US5,381,467. This relies upon the local exchange of the terminating subscriber (or the terminating inter exchange
25 carrier switch) detecting that call sharing is activated for calls received from a given originating subscriber, and an interaction between the terminating subscriber and the local exchange to accept or reject the cost sharing option. There is a limited possibility for the terminating subscriber to specify the cost sharing formula, but there is no possibility for the originating subscriber to influence the final formula.

30

Statement of the Invention

The mechanism described in US5,381,467 is relatively inflexible as it relies upon the local exchange of the terminating subscriber to intercept calls to which cost sharing might apply and to apply the cost sharing formula.

- 5 It is an object of the present invention to overcome or at least mitigate the disadvantages of the prior art. These and other objects are achieved by performing a cost sharing negotiation at the user level by using user level signalling.

According to a first aspect of the present invention there is provided a method of
10 negotiating the sharing of a cost associated with a communication service between a plurality of participants, the method comprising:

sending a cost sharing request from a terminal used by a first of the participants to terminals used by the or each other participant; and

at the or each terminal receiving said request, processing the request using
15 predefined cost sharing rules and/or receiving user inputs relating to the request, and notifying the first participant's terminal of the result,

the network(s) supporting the service being informed of the negotiated cost sharing formula, and the participants being charged by the network(s) in accordance with the formula.

20

In embodiments of the present invention, the "logic" performing the cost sharing negotiation is implemented in the user terminals.

Preferably, the network(s) supporting the service are informed of the negotiated cost
25 sharing formula by intercepting the messages exchanged between the participating terminals within the network(s). Alternatively, a participating terminal may send a notification message to a network, the message containing the negotiated formula.

The cost sharing request may be sent from either a terminal initiating a service, or from
30 a terminal which has received a service initiation request from another terminal. The terminal receiving a cost sharing request may return a response to the sending terminal accepting a cost sharing proposal contained or identified in the request. This proposal may be some previously agreed arrangement, for example associated with a particular service. Alternatively, the receiving terminal may send a response to the sending

terminal, and any other terminals invited to participate in the service, proposing an alternative or modified cost sharing proposal. Typically, the terminal sending the request, coordinates received responses and finalises the cost sharing arrangement. The final arrangement may be notified to the or each other participant.

5

The cost sharing method may be performed prior to the initiation of the communication service, upon initiation, during the provision of a service, or even after a service has been terminated.

10 In an embodiment of the present invention, the network supporting the service and connecting the participating terminals comprises a 3GPP (third generation partnership project) IP Multimedia Subsystem. The terminal-to-terminal signalling protocol is preferably the Session Initiation Protocol (SIP).

15 According to a second aspect of the present invention there is provided a communication terminal comprising:

transmission means for exchanging user and signalling data with one or more peer terminals via a communications network;

20 means coupled to said transmission means for receiving and sending cost sharing requests to and from peer terminals, the cost sharing requests relating to a communication service involving the terminals;

means for implementing a set of cost sharing rules following the sending or receipt of a cost sharing proposal in order to agree upon a cost sharing arrangement.

25 In certain embodiments of the present invention the terminal is a mobile wireless terminal. Preferably the terminal is a 3G terminal able to communicate with peer terminals via a 3G network using IP. More preferably, the terminal uses SIP signalling to exchange cost sharing requests with other terminals and to exchange other signals associated with cost sharing negotiations.

30

According to a third aspect of the present invention there is provided a Session Initiation Protocol server for use in an IP Multimedia Core Network Subsystem of a communications system, the server comprising:

means for causing Session Initiation Protocol signalling, associated with a cost sharing negotiation between two or more user terminals coupled to the system, to be diverted through the server; and

- 5 means for extracting agreed cost sharing data from the diverted signalling, and for either allocating costs to one or more of the terminal users in accordance with this data, or for providing information to another system node to allow that node to allocate costs.

Brief Description of the Drawings

10

Figure 1 illustrates schematically a communications system to which a number or mobile wireless terminals are attached;

Figure 2 illustrates signalling between a pair of peer terminals attached to the system of Figure 1;

- 15 Figure 3 is a flow diagram illustrating a method of negotiating cost sharing between peer terminals; and

Figure 4 illustrates schematically the introduction of an Application Server into the system of Figure 1.

20 Detailed Description of a Preferred Embodiment

- Figure 1 illustrates schematically a typical scenario where a mobile terminal or User Equipment (UE) 1 belongs to a subscriber of a cellular telephone network 2 (the subscriber's "home" network). The subscriber using the UE 1 is identified in the
- 25 network 2 by a unique subscriber identity. The cellular telephone network comprises a Radio Access Network 3 and a General Packet Radio Service (GPRS) network 4 (as well as a circuit switched core network which is not illustrated in Figure 1). Within the GPRS network 4, two nodes relevant to the UE 1 can be identified. These are the Serving GPRS Support node (SGSN) 5 and the Gateway GPRS Support Node (GGSN)
- 30 6. The role of the SGSN 5 is to maintain subscription data (identities and addresses) and to track the location of the UE within the network. The role of the GGSN 6 is to maintain subscription information and allocated IP addresses and to track the SGSN to which the UE 1 is attached. The GGSN 6 is coupled to an IP network. Typically, when the UE 1 is turned on it "attaches" itself to the GGSN and one or more PDP contexts are

established between the UE 1 and the GGSN 6. The contexts provide "pipes" for transporting data from the UE 1 to the GGSN 6. This process involves the allocation of an IP address to the UE 1. Typically, the routing prefix part of the address is a routing prefix allocated to the GGSN 6. In the event that a subscriber is roaming outside of his home network, the RAN 3 would of course belong to the visited network.

Also illustrated in Figure 1 is an IP Multimedia Core Network Subsystem (IMS) 7 which contains all of the elements required to provide IP based multimedia services using the Session Initiation Protocol (SIP). The functionality provided by the IMS 7 is set out in 3GPP TS 23.228. The IMS 7 consists of a set of nodes which are coupled to an IP backbone network. This network is also connected to the GGSN 6 of the GPRS network 4. Illustrated within the IMS 7 are a proxy call state control function (P-CSCF) node 9 and a serving call state control function (S-CSCF) node 10. It is assumed here that the IMS is owned by the operator of the cellular telephone network 2 (although this need not be the case).

The S-CSCF 10 performs the session control services for the UE, and maintains a session state as needed by the network operator for support of services. The main function performed by the S-CSCF 10 during a session is the routing of incoming and outgoing call set-up requests. The main functions performed by the P-CSCF 9 are to identify the S-CSCF, using the HSS of the home network, allocated to the UE and to subsequently route SIP messages between the UE and the identified S-CSCF when the UE 1 is roaming in a visited network (NB. for a terminal roaming in a visited network, the IMS through which signalling is routed will be the IMS of the subscriber's home network).

Illustrated in Figure 1 are additional UEs 12,13 belonging to respective subscribers of a network 14. The UEs 12,13 are attached to their own network 14 although they could equally well be attached to a visited network. The network 14 may consist of a RAN, GPRS network and IMS network, mirroring the network used by the UE 1.

Real-time charging messages (e.g. using CAP protocol) may be generated within the GPRS access network 4. In particular, the SGSN 5 may generate real-time charging messages for a given connection. The real-time charging messages generated by the

SGSN 5 may relate to the volume of data sent during the call, and/or the duration of the call. Typically, all real-time CAP messages associated with the call are sent to a Charging Control Function 15 (CCF) belonging to the operator of the cellular telephone network 2. Real-time charging messages may also be generated within the IMS 7 at the S-CSCF 11 or at some other charging node. Charges generated within the IMS 7 may for example be associated with particular services (the GPRS core network 4 generally has no knowledge of the service with which user data is associated), for example online gaming and video-conferencing. Charging messages generated within the IMS 7 are also forwarded to the CCF 15 (using the DIAMETER protocol) which consolidates all charges relating to a session and adds the appropriate charge to a subscriber's bill. Charges generated within the network 14 (at either the GPRS core network or the IMS) are similarly forwarded to a CCF of that network. Where a UE is attached to a visited network, real-time charges may be forwarded from the visited network to a CCF of a subscriber's home network, e.g. to facilitate real-time billing, avoiding the need for operator's to provide subscribers with credit. In addition to, or as an alternative to real time charging messages, nodes such as the SGSN and the S-CSCF might generate off-line charges, e.g. upon termination of a call. These will also be sent to the appropriate CCF.

In certain cases, a subscriber wishing to initiate a service involving one or more other subscribers may propose to those other subscribers that the cost for the service be shared by all of the participants. Assume that the UE 1 wishes to initiate a session with the UEs 12,13, e.g. a video-conference. To initiate the service, the UE 1 sends a SIP INVITE message to the UEs 12,13. This message is passed by the GPRS network 4 to the IMS 7. The IMS 7 will negotiate appropriate resources with the IMS of the network 14. The INVITE message is then forwarded to the "terminating" UEs 12,13. The INVITE message contains a cost sharing request, e.g. split the cost equally between the participants. In some circumstances, the IMS may modify the SIP INVITE message (and other SIP messages sent between peer terminals).

Each UE contains means for implementing a set of cost sharing rules. Upon receiving a SIP INVITE message containing a cost sharing request, these rules may simply cause the UE to notify the user of the request, and to ask for his or her approval or rejection of the proposal, thereby implicitly accepting or rejecting, or placing on hold, the session

setup procedure. The rules may allow the user to input a counter proposal. The UE may provide for the inputting of subscriber configurable schemes. For example, costs may be predefined on a per originating subscriber (or subscriber group) basis, on a per service (or service group) basis, or on a per price or price category basis, such that the
5 terminating UE can respond automatically to all (or at least a class) of call setup requests.

The results, i.e. acceptance, rejection, or counter proposal are returned by the terminating UEs to the originating UE 1. The originating UE 1 acts as a coordinating
10 agent for the negotiation, receiving responses from other UEs and consolidating the responses to achieve a final agreed cost sharing plan. This coordinating function may be performed "automatically" using some application running in the UE 1, or may be performed by the user of the UE 1. As with the terminating UEs, rules may be predefined for this purpose (per subscriber, etc).

15

The originating UE 1 will then notify the UEs which have agreed to share the total cost (this may be by way of a percentage share or by way of an actual tariff, e.g. 10cents/minute). There may be no need to notify the UEs of the cost shares allocated to other participants, although this can of course be done. Final confirmation of the cost
20 sharing plan by the terminating UEs 12,13 is provided by the return of a SIP OK message to the originating UE 1. This messages causes the session to be established. It will be appreciated that SIP is used to carry all messages associated with the cost sharing negotiation. If existing SIP messages cannot be used, it may be necessary to define new messages.

25

The procedure presented above applies both to negotiating costs for one time service events, duration based service events, data volume based service events, or a combination of two or more of these. If there are services invoked within another service, e.g. a costly video streaming application invoked towards all participants during
30 a teleconference, then the above described procedure can be applied first for the basic teleconference "session" and individually for each new service application, e.g. video streaming, invoked during the teleconference session.

Figure 2 illustrates the signalling between peer UEs which might be associated with a cost sharing negotiation and where:

- Solid arrows represent mandatory messages;
 - Dotted arrows represent optional messages;
 - 5 • The message name is written on top of the message arrow;
 - Message parameters are written below the message arrow;
 - Mandatory message parameters are marked as 'M'; and
 - Optional message parameters are marked as "O".
- 10 The third and fourth, optional signalling messages are exchanged in the event that the preceding messages have resulted in a cost sharing agreement, and are necessary to confirm the final agreed cost sharing plan to both parties. These messages also enable the home networks of both parties to identify the details of the agreement.
- 15 The above discussion assumes that the cost sharing negotiation results from a service initiation request (the cost sharing request is included in the SIP INVITE message). However, it may be that a UE wishes to propose to one or more other UEs a cost sharing plan for a service which has not yet been initiated. In this case, the cost sharing request must contain some identification of the service. This could be for example a
- 20 service identifier and a proposed commencement date and time. Similarly, a cost sharing negotiation may be carried out during an already established session or after a session has been terminated.

It has already been mentioned that it is necessary for the home networks of the participating UEs to "intercept" SIP signalling associated with cost sharing negotiations in order to allow subscribers to be charged according to the agreed cost sharing plan. Figure 3 illustrates one way in which this might be done. The IMS 7 includes an Application Server 16 which monitors SIP messages and message headers between the A-party and the B-party (or parties). The Application Server 16 has previously

25 instructed the S-CSCF 10 (via the HSS which is located in the home network 2 of the UE 1) to forward to it SIP messages which might initiate a cost sharing negotiation. When the Application Server 16 detects that a cost negotiation may take place between UEs for a particular dialogue, it adds itself to the SIP route, whereafter all SIP messages

30

are routed via the Application Server 16. When the cost sharing negotiation has taken place, (and where for example a cost sharing negotiation is possible only in the setup phase of a value added service), the Application Server 16 removes itself from the SIP routing path. The cost negotiation results are extracted from the signalling, recorded, and sent towards the CCF 14 by the Application Server 16. The CCF 14 can subsequently apportion costs to the UE 1 (including any costs received from the GPRS network 4). Similarly, SIP signalling is intercepted in the IMS of the network 14 (using an application server) to which the B-subscribers 12,13 are attached, and the CCF of that network informed of the cost sharing agreement. If one operator collects more than he is due by a particular subscriber, some cross-settlement procedure is used to exchange money between the operators.

Note that the Application Server 16 in Figure 3 may implement functions other than those related to cost sharing. The server may for instance contain the service logic for the value added service for which the cost is being negotiated. The Application Server may also record the cost negotiation information both in the home domain of the A-party and the home domain of the B-party (or parties) for the same SIP session.

Figure 4 is a flow diagram further illustrating the cost sharing negotiation procedure described above.

It will be appreciated by the person of skill in the art that various modifications may be made to the above described embodiments without departing from the scope of the present invention. For example, whilst the above discussion has concerned wireless terminals and cellular networks, the invention can also be applied to wireline terminals and networks (e.g. BMSN, EMM 1.0). Providing appropriate interworking functionality is employed, wireless terminals will be able to negotiate cost sharing agreements with wireline terminals.

Claims

1. A method of negotiating the sharing of a cost associated with a communication service between a plurality of participants, the method comprising:
5 sending a cost sharing request from a terminal used by a first of the participants to terminals used by the or each other participant; and
at the or each terminal receiving said request, processing the request using predefined cost sharing rules and/or receiving user inputs relating to the request, and notifying the first participant's terminal of the result,
10 the network(s) supporting the service being informed of the negotiated cost sharing formula, and the participants being charged by the network(s) in accordance with the formula.
2. A method according to claim 1, wherein the cost sharing request is sent from
15 either a terminal initiating a service, or from a terminal which has received a service initiation request from another terminal.
3. A method according to claim 1 or 2, wherein the terminal receiving a cost sharing request returns a response to the sending terminal accepting a cost sharing
20 proposal contained or identified in the request.
4. A method according to claim 1 or 2, wherein the receiving terminal sends a response to the sending terminal, proposing an alternative or modified cost sharing
25 proposal.
5. A method according to any one of the preceding claims, wherein three or more participants are invited to join the service, the terminal sending the request coordinating received responses and finalising the cost sharing arrangement.
- 30 6. A method according to any one of the preceding claims, wherein the cost sharing procedure is performed prior to the initiation of the communication service, upon initiation, during a service, or after a service has been terminated.

7. A method according to any one of the preceding claims, wherein the network supporting the service and connecting the participating terminals comprises a 3GPP IP Multimedia Subsystem.
- 5 8. A method according to any one of the preceding claims, wherein the terminal-to-terminal signalling protocol is the Session Initiation Protocol, SIP.
9. A method according to claim 8, wherein messages exchanged between the participating terminals are intercepted at one or more SIP servers for the purpose of
10 charging subscribers.
10. A method according to any one of the preceding claims, wherein the network(s) supporting the service are informed of the negotiated cost sharing formula by intercepting the messages exchanged between the participating terminals within the
15 network(s).
11. A communication terminal comprising:
transmission means for exchanging user and signalling data with one or more peer terminals via a communications network;
20 means coupled to said transmission means for receiving and sending cost sharing requests to and from peer terminals, the cost sharing requests relating to a communication service involving the terminals;
means for implementing a set of cost sharing rules following the sending or receipt of a cost sharing proposal in order to agree upon a cost sharing arrangement.
25
12. A terminal according to claim 11, the terminal being a mobile wireless terminal.
13. A Session Initiation Protocol server for use in an IP Multimedia Core Network Subsystem of a communications system, the server comprising:
30 means for causing Session Initiation Protocol signalling, associated with a cost sharing negotiation between two or more user terminals coupled to the system, to be diverted through the server; and
means for extracting agreed cost sharing data from the diverted signalling, and for either allocating costs to one or more of the terminal users in accordance with this

data, or for providing information to another system node to allow that node to allocate costs.

1/4






Figure 1


2/4

Figure 2

3/4

Figure 3

4/4

Figure 4

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 02/14407

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 H04M15/00 H04L12/14 H04L29/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04M H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, INSPEC, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|------------|---|-----------------------|
| X | WO 02 052832 A (MAYERHOFER ANDREAS ;KALKBRENNER ANDREAS (DE); STELZL RUDOLF (DE);) 4 July 2002 (2002-07-04) abstract page 1 -page 4, paragraph 2 page 5, paragraphs 4,5 page 6, paragraphs 2,3 --- | 1-13 |
| X | WO 00 38403 A (ERICSSON TELEFON AB L M) 29 June 2000 (2000-06-29) abstract page 1, line 11 - line 14 page 2, line 29 -page 4, line 12 page 6, line 1 -page 9, line 9 page 11, line 15 - line 22 --- -/- | 1-4 |

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

8 August 2003

Date of mailing of the international search report

20/08/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Kahl, M

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 0214407

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|------------|---|-----------------------|
| A | <p>US 6 047 051 A (YLAE-JAASKI ANTTI ET AL) 4 April 2000 (2000-04-04) abstract column 2, line 47 - line 52 column 5, line 1 -column 6, line 62</p> | |
| A | <p>WO 00 79756 A (ERICSSON TELEFON AB L M) 28 December 2000 (2000-12-28) page 2, line 1 - line 22 page 3, line 17 - line 19 page 27, line 5 - line 19</p> | |

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 02/14407

| Patent document cited in search report | | Publication date | Patent family member(s) | Publication date |
|---|---|---------------------|---|--|
| WO 02052832 | A | 04-07-2002 | WO 02052832 A2 | 04-07-2002 |
| WO 0038403 | A | 29-06-2000 | AU 2132000 A WO 0038403 A1 | 12-07-2000 29-06-2000 |
| US 6047051 | A | 04-04-2000 | FI 964524 A AU 730689 B2 AU 4871297 A BR 9713014 A EP 1012760 A1 WO 9821676 A1 NZ 335701 A | 12-05-1998 15-03-2001 03-06-1998 25-01-2000 28-06-2000 22-05-1998 27-10-2000 |
| WO 0079756 | A | 28-12-2000 | AU 5862400 A AU 5862500 A CA 2375366 A1 CA 2375997 A1 CN 1357190 T EP 1188281 A1 EP 1188292 A2 JP 2003502945 T WO 0079741 A1 WO 0079756 A2 | 09-01-2001 09-01-2001 28-12-2000 28-12-2000 03-07-2002 20-03-2002 20-03-2002 21-01-2003 28-12-2000 28-12-2000 |